


CONTROL WING - SOUTH ROOF PORTION  
SCALE: 1/8" = 1'-0"



KEY PLAN

NOTES

1. LIMITS OF WORK: CONTRACTOR SHALL PROVIDE AND INSTALL NEW ROOF MEMBRANE SYSTEM AND FLASHING FROM BUILDING LINE C SOUTHWARD TO M-11 ON THE CONTROL WING UPPER AND LOWER ROOF SECTIONS.
2. THE UPPER ROOF MEMBRANE FELTS FROM THE UPPER ROOF EXPANSION JOINT NORTHWARD HAVE BEEN IDENTIFIED AS CONTAINING ASBESTOS AND SHALL BE REMOVED AND DISPOSED OF ACCORDING TO ALL STATE AND FEDERAL REQUIREMENTS ADDRESSING ASBESTOS ABATEMENT AND DISPOSAL. COPIES OF THE ROOF SAMPLE CORES ARE PROVIDED IN THE SPECIFICATIONS.
3. THERE IS ASBESTOS CONTAMINATED FIREPROOFING SPRAYED ON THE UNDERSIDE OF THE ROOF DECK FROM BUILDING LINE K NORTHWARD. THE CONTRACTOR SHALL REMOVE AND MECHANICAL VIBRATION THAT WILL DISTURB THIS MATERIAL.
4. THE CONTRACTOR SHALL REMOVE AND REINSTALL THE EXISTING LIGHTNING PROTECTION SYSTEM ON THE UPPER AND LOWER ROOF SECTIONS.
5. THE CONTRACTOR SHALL INSTALL NEW WALKWAY PADS MEETING THE ROOFING MEMBRANE MANUFACTURER'S RECOMMENDATIONS. NEW WALKWAY PADS ARE ALSO TO BE INSTALLED FROM ROOF ACCESS LADDER TO ALL ROOF DRAINS. SEE PROPOSED ALIGNMENT FOR NEW WALKWAY PADS.

REV	DATE	DESCRIPTION	CON	RDLINE	APP'D

SUBMITTED BY		APPROVED BY	
<i>[Signature]</i>		<i>[Signature]</i>	
PROJECT ENGINEER, AM-800		MANAGER, ENROUTE FLATIRON, AM-800	
DESIGNED		DATE 04/30/2002	
DRAWN		ICN 100819	
CHECKED		DRAWING NO	
		ISSUED BY	
		DATE 04/30/2002	
		ICN 100819	
		NMS IMPLEMENTATION	
		AM-800	
		DRAWING NO	
		NM-D-501-41836-001	
		REV	

DEPARTMENT OF TRANSPORTATION	
FEDERAL AVIATION ADMINISTRATION	
SEATTLE IMPLEMENTATION CENTER	
SEATTLE, WASHINGTON	SEATTLE, WA
AUBURN	
ARTCC	
ROOF REPLACEMENT PROJECT	
CONTROL WING SOUTH ROOF PLAN	